


# STANDARD PULLEYS



**TMD** Series

Cast Iron pulleys Insectlons A, B,C, supplied In primitive dlameters from 70 to 290 and painted In Rai2004.

ITEM CODE	PULLEY DESCRIPTION	TMD	ITEM CODE	PULLEY DESCRIPTION	TMD
1A106F30	FIX PULLEY 1A 106 H.30		1B100F20CH6	FIX PULLEY 1B 100 H.20 WITH KEY	
1A120F30	FIX PULLEY 1A 120 H.30		1B100F24CH	FIX PULLEY 1B 100 H.24 WITH KEY	
1A120F62	IDLE PULLEY 1A 120 H.62		1B100F25	FIX PULLEY 1B 100 H.25	
1A140F30	PULLEY 1A 140 FIX H.30		1B100F30	FIX PULLEY 1B 100 H.30	
1A170F30	FIX PULLEY 1A 170 H.30		1B100F30CC	IDLE PULLEY 1B 100 WITH BEARING H.30	
1A170F30CC	IDLE PULLEY 1A 170 WITH BEARING H.30		1B100F35	FIX PULLEY 1B 100 H.35	
1A170F30MTR	FIX PULLEY 1A 170 H.30 WITHOUT HUB		1B100F35CC	IDLE PULLEY 1B 100 WITH BEARING H.35	
1A170F35	FIX PULLEY 1A 170 H.35		1B100F42	IDLE PULLEY 1B 100 H.42	
1A170F35MTR	FIX PULLEY 1A 170 H.35 WITHOUT HUB		1B100F62	IDLE PULLEY 1B 100 H.62	
1A170F62	IDLE PULLEY 1A 170 H.62		1B110F30	FIX PULLEY 1B 110 H.30	
1A180F30	FIX PULLEY 1A 180 H.30		1B110F30CC	IDLE PULLEY 1B 110 WITH BEARING H.30	
1A230F30	FIX PULLEY 1A 230 H.30		1B110F35	FIX PULLEY 1B 110 H.35	
1A230F30CC	IDLE PULLEY 1A 230 WITH BEARING H.30		1B110F35CC	IDLE PULLEY 1B 110 WITH BEARING H.35	
1A250F30	FIX PULLEY 1A 250 H.30		1B110F50	FIX PULLEY 1B 110 H.50	
1A250F30CC	IDLE PULLEY 1A 250 WITH BEARING H.30		1B110F62	IDLE PULLEY 1B 110 H.62	
1A250F35	FIX PULLEY 1A 250 H.35		1B110F68	IDLE PULLEY 1B 110 H.68	
1A250F35CC	IDLE PULLEY 1A 250 WITH BEARING H.35		1B120F25	FIX PULLEY 1B 120 H.25	
1A250F35MTR	FIX PULLEY 1A 250 H.35 WITHOUT HUB		1B120F30CC	IDLE PULLEY 1B 120 WITH BEARING H.30	
1A250F62	IDLE PULLEY 1A 250 H.62		1B120F30MGR	FIX PULLEY 1B 120 H.30 MGR	
1A250F68	IDLE PULLEY 1A 250 H.68		1B120F35	FIX PULLEY 1B 120 H.35	
1B060F30	FIX PULLEY 1B 60 H.30		1B120F35CC	IDLE PULLEY 1B 120 WITH BEARING H.35	
1B070F25	FIX PULLEY 1B 70 H.25		1B120F62	IDLE PULLEY 1B 120 H.62	
1B070F35	FIX PULLEY 1B 70 H.35		1B125F30	FIX PULLEY 1B 125 H.30	
1B080F30	FIX PULLEY 1B 80 H.30		1B125F30CC	IDLE PULLEY 1B 125 WITH BEARING H.30	
1B080F35	FIX PULLEY 1B 80 H.35		1B130F30	FIX PULLEY 1B 130 H.30	
1B080F35CC	IDLE PULLEY 1B 80 WITH BEARING H.35		1B130F30CC	IDLE PULLEY 1B 130 WITH BEARING H.30	
1B080F47	IDLE PULLEY 1B 80 H.47		1B130F35	FIX PULLEY 1B 130 H.35	
1B090F30	FIX PULLEY 1B 90 H.30		1B140F30	FIX PULLEY 1B 140 H.30	
1B090F30CC	IDLE PULLEY 1B 90 WITH BEARING H.30		1B140F30CC	IDLE PULLEY 1B 140 WITH BEARING H.30	
1B090F35	FIX PULLEY 1B 90 H.35		1B140F35	FIX PULLEY 1B 140 H.35	

ITEM CODE	PULLEY DESCRIPTION	TMD
1B140F35CC	IDLE PULLEY 1B 140 WITH BEARING H.35	
1B140F62	IDLE PULLEY 1B 140 H.62	
1B150F30	FIX PULLEY 1B 150 H.30	
1B150F30CC	IDLE PULLEY 1B 150 WITH BEARING H.30	
1B150F35	FIX PULLEY 1B 150 H.35	
1B150F35CC	IDLE PULLEY 1B 150 WITH BEARING H.35	
1B150F62	IDLE PULLEY 1B 150 H.62	
1B160F30	FIX PULLEY 1B 160 H.30	
1B160F30CC	IDLE PULLEY 1B 160 WITH BEARING H.30	
1B160F35	FIX PULLEY 1B 160 H.35	
1B160F35CC	IDLE PULLEY 1B 160 WITH BEARING H.35	
1B160F40	FIX PULLEY 1B 160 H.40	
1B160F40CC	IDLE PULLEY 1B 160 WITH BEARING H.40	
1B160F50	FIX PULLEY 1B 160 H.50	
1B160F50CC	IDLE PULLEY 1B 160 WITH BEARING H.50	
1B160F62	IDLE PULLEY 1B 160 H.62	
1B160F68	IDLE PULLEY 1B 160 H.68	
1B170F30CC	IDLE PULLEY 1B 170 WITH BEARING H. 30	
1B170F30MGR	FIX PULLEY 1B 170 H. 30 MGR	
1B170F30MTR	FIX PULLEY 1B 170 H.30 WITHOUT HUB	
1B170F35CC	IDLE PULLEY 1B 170 WITH BEARING H. 35	
1B170F35MGR	FIX PULLEY 1B 170 H.35 MGR	
1B170F40	FIX PULLEY 1B 170 H.40	
1B170F40CC	IDLE PULLEY 1B 170 WITH BEARING H.40	
1B170F40MGR	FIX PULLEY 1B 170 H.40 MGR	
1B170F62	IDLE PULLEY 1B 170 H. 62	
1B170F68	IDLE PULLEY 1B 170 H. 68	
1B180F30	FIX PULLEY 1B 180 H.30	
1B200F30	FIX PULLEY 1B 200 H.30	
1B200F30CC	IDLE PULLEY 1B 200 WITH BEARING H.30	
1B200F35	FIX PULLEY 1B 200 H.35	
1B220F30	FIX PULLEY 1B 220 H.30	
1B220F30CC	IDLE PULLEY 1B 220 WITH BEARING H.30	
1B230F30CC	IDLE PULLEY 1B 230 WITH BEARING H. 30	
1B230F30MGR	FIX PULLEY 1B 230 H.30 MGR	
1B230F30MTR	FIX PULLEY 1B 230 H. 30 WITHOUT HUB	
1B230F35CC	IDLE PULLEY 1B 230 WITH BEARING H.35	
1B230F35MGR	FIX PULLEY 1B 230 H.35 MGR	
1B230F40MGR	FIX PULLEY 1B 230 H.40 MGR	
1B230F62	IDLE PULLEY 1B 230 H. 62	
1B230F68	IDLE PULLEY 1B 230 H. 68	
1B240F30	FIX PULLEY 1B 240 H. 30	
1B250F30CC	IDLE PULLEY 1B 250 WITH BEARING H. 30	
1B250F30MGR	FIX PULLEY 1B 250 H. 30 MGR	
1B250F30MTR	FIX PULLEY 1B 250 H. 30 WITHOUT HUB	
1B250F35CC	IDLE PULLEY 1B 250 WITH BEARING H. 35	
1B250F35MGR	FIX PULLEY 1B 250 H. 35 MGR	
1B250F35MTR	FIX PULLEY 1B 250 H. 35 WITHOUT HUB	
1B250F40	FIX PULLEY 1B 250 H. 40	
1B250F40CC	IDLE PULLEY 1B 250 WITH BEARING H. 40	

ITEM CODE	PULLEY DESCRIPTION	TMD
1B250F40MGR	FIX PULLEY 1B 250 H.40 MGR	
1B250F62	IDLE PULLEY 1B 250 H. 62	
1B250F68	IDLE PULLEY 1B 250 H. 68	
1B290F30	FIX PULLEY 1B 290 H. 30	
1B290F30CC	IDLE PULLEY 1B 290 WITH BEARING H. 30	
1B290F35MGR	FIX PULLEY 1B 290 H. 35 MGR	
1C100F30	FIX PULLEY 1C 100 H. 30	
1C120F24CH	FIX PULLEY 1C 120 H. 24 WITH KEY	
1C120F25CH8	FIX PULLEY 1C 120 H. 25 WITH KEY	
1C120F28CH	FIX PULLEY 1C 120 H. 28. WITH KEY	
1C130F24	FIX PULLEY 1C 130 H. 24	
1C130F24CH	FIX PULLEY 1C 130 H.24 WITH KEY	
1C140F24CH	FIX PULLEY 1C 140 H.24 WITH KEY	
1C140F30	FIX PULLEY 1C 140 H. 30	
1C150F20CC	IDLE PULLEY 1C 150 H.20 WITH BEARING	
1C150F30	FIX PULLEY 1C 150 H. 30	
1C170F28	FIX PULLEY 1C 170 H.28	
1C170F28CH	FIX PULLEY 1C 170 H.28 WITH KEY	
1C170F30	FIX PULLEY 1C 170 H. 30	
1C170F30CC	IDLE PULLEY 1C 170 WITH BEARING H. 30	
1C170F35	FIX PULLEY 1C 170 H. 35	
1C170F35CC	IDLE PULLEY 1C 170 WITH BEARING H. 35	
1C170F68	IDLE PULLEY 1C 170 H. 68	
1C220F30	FIX PULLEY 1C 220 H. 30	
1C220F30CC	IDLE PULLEY 1C 220 WITH BEARING H. 30	
1C220F30MGR	FIX PULLEY 1C 220 H. 30 MGR	
1C230F28CH8	FIX PULLEY 1C 230 H. 28 WITH KEY	
1C230F30CC	IDLE PULLEY 1C 230 WITH BEARING H. 30	
1C230F30MGR	FIX PULLEY 1C 230 H. 30 MGR	
1C230F35	FIX PULLEY 1C 230 H. 35	
1C230F35CC	IDLE PULLEY 1C 230 WITH BEARING H. 35	
1C230F35MGR	FIX PULLEY 1C 230 H. 35 MGR	
1C230F35MGRH8	FIX PULLEY 1C 230 H.35 MGR H8	
1C230F40	FIX PULLEY 1C 230 H.40	
1C230F40CC	IDLE PULLEY 1C 230 WITH BEARING H. 40	
1C230F40MGR	FIX PULLEY 1C 230 H.40 MGR	
1C230F62	IDLE PULLEY 1C 230 H. 62	
1C230F68	IDLE PULLEY 1C 230 H. 68	
1C240F62	IDLE PULLEY 1C 240 H. 62	
1C250F25CH	FIX PULLEY 1C 250 H. 25 WITH KEY	
1C250F28CH8	FIX PULLEY 1C 250 H. 28 WITH KEY	
1C250F30CC	IDLE PULLEY 1C 250 WITH BEARING H. 30	
1C250F30MGR	FIX PULLEY 1C 250 H. 30 MGR	
1C250F30MTR	FIX PULLEY 1C 250 H. 30 WITHOUT HUB	
1C250F35CC	IDLE PULLEY 1C 250 WITH BEARING H. 35	
1C250F35MGR	FIX PULLEY 1C 250 H. 35 MGR	
1C250F35MGRH8	FIX PULLEY 1C 250 H.35 MGR H8	
1C250F35MTR	FIX PULLEY 1C 250 H. 35 WITHOUT HUB	
1C250F40	FIX PULLEY 1C 250 H.40	
1C250F40CC	IDLE PULLEY 1C 250 WITH BEARING H.40	

ITEM CODE	PULLEY DESCRIPTION	TMD
1C250F40MGR	FIX PULLEY 1C 250 H.40 MGR	
1C250F50	FIX PULLEY 1C 250 H.50	
1C250F50MGR	FIX PULLEY 1C 250 H.50 MGR	
1C250F62	IDLE PULLEY 1C 250 H. 62	
1C250F68	IDLE PULLEY 1C 250 H. 68	
1C270F30CC	IDLE PULLEY 1C 270 WITH BEARING H. 30	
1C270F30MGR	FIX PULLEY 1C 270 H.30 MGR	
1C270F35CC	IDLE PULLEY 1C 270 WITH BEARING H. 35	
1C270F35MGR	FIX PULLEY 1C 270 H.35 MGR	
1C270F62	IDLE PULLEY 1C 270 H.62	
1C290F30CC	IDLE PULLEY 1C 290 WITH BEARING H. 30	
1C290F30MGR	FIX PULLEY 1C 290 H. 30 MGR	
1C290F35CC	IDLE PULLEY 1C 290 WITH BEARING H. 35	
1C290F35MGR	FIX PULLEY 1C 290 H. 35 MGR	
2A250F30	FIX PULLEY 2A 250 H. 30	
2A250F30CC	IDLE PULLEY 2A 250 WITH BEARING H. 30	
2B100F15CC	IDLE PULLEY 2B 100 WITH BEARING H. 15	
2B100F24	FIX PULLEY 2B 100 H. 24 WITH KEY	
2B100F25	FIX PULLEY 2B 100 H. 25	
2B100F25CH	FIX PULLEY 2B 100 H. 25 WITH KEY	
2B100F28CH	FIX PULLEY 2B 100 H. 28 WITH KEY	
2B100F30	FIX PULLEY 2B 100 H. 30	
2B100F50	FIX PULLEY 2B 100 H. 50	
2B150F30	FIX PULLEY 2B 150 H. 30	
2B170F30	FIX PULLEY 2B 170 H. 30	
2B170F30CC	IDLE PULLEY 2B 170 WITH BEARING H.30	
2B170F35	FIX PULLEY 2B 170 H. 35	
2B200F30	FIX PULLEY 2B 200 H. 30	
2B230F30	FIX PULLEY 2B 230 H. 30	
2B250F24CH	FIX PULLEY 2B 250 H. 24 WITH KEY	
2B250F25	FIX PULLEY 2B 250 H. 25	
2B250F25CH	FIX PULLEY 2B 250 H. 25 WITH KEY	
2B250F28CH	FIX PULLEY 2B 250 H. 28 WITH KEY	
2B250F30	FIX PULLEY 2B 250 H. 30	
2B250F30CC	IDLE PULLEY 2B 250 WITH BEARING H. 30	
2B250F30MTR	FIX PULLEY 2B 250 H. 30 WITHOUT HUB	
2B250F35	FIX PULLEY 2B 250 H. 35	
2C250F30	FIX PULLEY 2C 250 H. 30	
2C250F30XX206	IDLE PULLEY 2C 250 WITH BEARING H. 30	

ITEM CODE	PULLEY DESCRIPTION	TMD
2C250F35	FIX PULLEY 2C 250 H. 35	
110POL08F30	FIX PULLEY D.110 FOR ROUND BELT DIAM. 8 H.30	
110POL08F30CC	IDLE PULLEY D.110 FOR ROUND BELT DIAM. 8 WITH BEARING H.30	
120POL08F30	FIX PULLEY D.120 FOR ROUND BELT DIAM. 8 H.30	
120POL08F30CC	IDLE PULLEY D.120 FOR ROUND BELT DIAM. 8 WITH BEARING H.30	
130POL12F30CC	IDLE PULLEY D.130 FOR ROUND BELT DIAM. 12 WITH BEARING H.30	
140POL12F35	FIX PULLEY D.140 FOR ROUND BELT DIAM. 12 H.35	
140POL12F68	IDLE PULLEY D.140 FOR ROUND BELT DIAM. 12 H.68	
170POL08F30	FIX PULLEY D.170 FOR ROUND BELT DIAM. 8 H.30	
170POL12F35	FIX PULLEY D.170 FOR ROUND BELT DIAM. 12 H.35	
170POL12F35CC	IDLE PULLEY D.170 FOR ROUND BELT DIAM. 12 WITH BEARING H.35	
170POL15F30	FIX PULLEY D.170 FOR ROUND BELT DIAM. 15 H.30	
170POL15F30CC	IDLE PULLEY D.170 FOR ROUND BELT DIAM. 15 WITH BEARING H.30	
230POL12F35	FIX PULLEY D.230 FOR ROUND BELT DIAM. 12 H.35	
240POL15F30	FIX PULLEY D.240 FOR ROUND BELT DIAM. 15 H.30	
250POL08F30	FIX PULLEY D.250 FOR ROUND BELT DIAM. 8 H.30	
250POL08F30CC	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 8 WITH BEARING H.30	
250POL08F35	FIX PULLEY D.250 FOR ROUND BELT DIAM. 8 H.35	
250POL08F62	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 8 H.62	
250POL10F30	FIX PULLEY D.250 FOR ROUND BELT DIAM. 10 H.30	
250POL10F35	FIX PULLEY D.250 FOR ROUND BELT DIAM. 10 H.35	
250POL10F68	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 10 H.68	
250POL12F30	FIX PULLEY D.250 FOR ROUND BELT DIAM. 12 H.30	
250POL12F30CC	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 12 WITH BEARING H.30	
250POL12F35	FIX PULLEY D.250 FOR ROUND BELT DIAM. 12 H.35	
250POL12F35CC	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 12 WITH BEARING H.35	
250POL12F62	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 12 H.62	
250POL12F68	IDLE PULLEY D.250 FOR ROUND BELT DIAM. 12 H.68	
250POL15F30	FIX PULLEY D.250 FOR ROUND BELT DIAM. 15 H.30	
250POL15F35	FIX PULLEY D.250 FOR ROUND BELT DIAM. 15 H.35	
256POL15F30	FIX PULLEY D.256 FOR ROUND BELT DIAM. 15 H.30	
256POL15F30CC	IDLE PULLEY D.256 FOR ROUND BELT DIAM. 15 WITH BEARING H.30	
263POL15F30	FIX PULLEY D.263 FOR ROUND BELT DIAM. 15 H.30	
263POL15F35	FIX PULLEY D.263 FOR ROUND BELT DIAM. 15 H.35	
263POL15F35CC	IDLE PULLEY D.263 FOR ROUND BELT DIAM. 15 WITH BEARING H.35	
290POL10F30CC	IDLE PULLEY D.290 FOR ROUND BELT DIAM. 10 WITH BEARING H.30	
290POL10F35	FIX PULLEY D.290 FOR ROUND BELT DIAM. 10 H.35	
290POL10F35CC	IDLE PULLEY D.290 FOR ROUND BELT DIAM. 10 WITH BEARING H.35	